FIG.1




FIG.2




FIG.3




FIG.4

71 ∼∕	72 √	73 √	74 ∕√	75 /
MAC ADDRESS	ROOM NUMBER	TOTAL COMMUNI- CATION EXTENT	RATIO TO TOTAL COMMUNI- CATION EXTENT OF ALL ROOMS	FEE
EXAMPLE: 11.22.33.44.55.66	EXAMPLE: 101	EXAMPLE: 161 KByte	EXAMPLE: 1%	EXAMPLE: ¥1500
EXAMPLE: 22.33.44.55.66.77	EXAMPLE: 102	EXAMPLE: 680 KByte	EXAMPLE: 1%	EXAMPLE: ¥1500

FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10

WIRELESS LAN BASE STATION




FIG.11




FIG.12

WIRELESS TERMINAL




FIG.13




FIG.14

81	82	83	84	85	86
	\sim	\sim	\sim	\sim	\sim
MAC ADDRESS	ROOM NUMBER	TIME ZONE	MAXIMUM COMMUNI- CATION BANDS IN THE TIME ZONES	RATIO TO TOTAL COMMUNI- CATION EXTENT OF ALL ROOMS	FEE
EXAMPLE: 11.22.33.44.55.66	EXAMPLE: 101	EXAMPLE: 03:00-07:00 07:00-10:00 10:00-00:00	EXAMPLE: 161KByte	EXAMPLE: 1%	EXAMPLE: ¥1500
EXAMPLE: 22.33.44.55.66.77	EXAMPLE: 102	EXAMPLE: 03:00-07:00 07:00-10:00 10:00-00:00	EXAMPLE: 680KByte	EXAMPLE: 1%	EXAMPLE: ¥1500
		• • •	• • •		